

Renault **DOKKER Van**









100 % made-to-measure

Always ready when you need it, the new Renault Dokker van skillfully rises to the challenge of meeting your day-to-day needs. Whether you are a craftsman or a trader, its 750 Kg payload will prove invaluable whatever task you ask of it.





A modular, practical space



Accessibility, loading volume & driving comfort: the Renault Dokker Van is packed with benefits and nice surprises.

Renault offers you a vehicle up to 3.9 m3, equipped as a saloon car, as robust as a utility vehicle and as practical as a...Dokker Van!



Action technologies

Renault Dokker Van has everything to make your work easier: cruise control with speed limiter, rear parking sensors, practical storage areas... And to enhance your efficiency, it provides you with the Media Nav multimedia system and its large, 7-inch (18 cm) touchscreen, with navigation, 4 x 20 W radio, audio streaming and Bluetooth® hands-free calling.









A model employee





Available, open and spacious: the Renault Dokker Van aims to please, with an innate sense of practicality and versatility. It can take all kinds of loads, assisted by XL sliding side doors (more than 70 cm wide) and two asymmetrical rear doors.

Meeting the challenges of transport and delivery with ingenuity and panache, the Renault Dokker Van moves with the times: its economical engine, low CO2 emissions and respect for both the environment and your budget make it a truly model employee!



Economical performance

The engine that powers Dokker Van shows consumption levels among the lowest in its class, without having to resort to expensive and complex technologies or sacrificing performance. Renault offers...

1.6 MPI 85 hp Efficient & dynamic

Efficient both in consumption* and cost of usage, this engine allows for a very dynamic driving at a cost that is amongst the most frugal!



^{*6.7} L/100km (extra-urban cycle fuel consumption, according to applicable regulations).



Big on loading

Ready and willing to serve

Easy Seat, a nice-sounding name that says it all. Foldable and removable, the passenger seat shows its full ingenuity when the backrest folds down to form a temporary desk. When fully removed, it frees up extra space, increasing the loading volume to 3.9 m³!

A taste for efficiency


The Dokker Van will exceed your expectations. Its loading area is equipped with 8 lashing rings on the floor, ensuring that your most fragile items are firmly held in place.

For added security, you can choose between 3 types of partition: tubular, full glazed or pivoting wire-mesh (associated with Easy Seat).


The side and rear doors can be either panelled or glazed. And for even greater efficiency, the Dokker Van is available with side panels and a robust, stylish boot carpet.

An open nature

Easy loading is the watchword. The Dokker Van comes with one or two sliding side doors and the loading width stands at 703 mm! The asymmetrical rear doors, meanwhile, open to a width of 1.08 m. That's a good score as well!



Effective width up to 1.19 m



Effective height up to 1.10 m



Effective length up to 3.11 m *



Effective volume up to 3.90 m3 *



Payload 750 kg

^{*} Optional with Easy Seat option

Colours



Glacier White (CO)



Navy Blue (CO)



Comet grey (SEC)



Pearl Black (SEC)



CO: opaque colours. SEC: metallic colours.

Equipment



Main standard equipment on Dokker Van

Black front and rear bumpers 1/3-2/3 panelled rear doors 1 panelled sliding side door 15" steel wheels with hubcaps Bulb Daytime Running Lights Power-assisted steering Manual key Manual windows Manual air conditioning Open storage space on the dashboard ABS + emergency brake assist Driver & passenger airbags Electronic Stability Program (ESP) Tyre pressure monitoring system (TPMS) Visual over-speed alert Radio, USB & jack plugs, Bluetooth® Steering wheel audio control On-board computer 750 kg payload

8 lashing points on the floor
Textile floor carpet
Side protective strips
Height-adjustable front seat belts
Overhead storage area
4 side panel rings in the loading area

Options

Metallic paint
Body colour electric demisting door mirrors
Body colour bumpers
15" alloy wheels
Fog lamps
Electric pack: electric front windows,
electric door mirrors, remote
central locking
Glazed left sliding door
Glazed dual opening rear doors with wiper


Rear parking sensors
Cruise control with speed limiter
Longitudinal roof bars
Height adjustable driver seat and steering wheel
Plug & Radio: CD/MP3 player
Renault MEDIA NAV: 7" touchscreen navigation system
Adaptation kit for conversions: adaptation connection,
wiring for adaptation and fast idle speed


Engine


 $\ensuremath{^{\star}}$ Official consumption and emissions according to applicable regulations.


	1.6L 8V 85
ENGINE	
	Petrol
imission control level	Euro 4
apacity (cm3)	1,598
ore x Stroke (mm)	79.5 x 80.5
lumber of cylinders / valves	4/8
1ax. Power	85 HP (62 kW) @ 5,000 rpm
lax. Torque	128.5 Nm @ 2,800 rpm
jection Type	Multipoint
atalytic converter	Yes
EARBOX	
rpe	Manual
umber of forward gears	5
peed at 1,000 rpm in 1st / 2 nd	6.19/11.26
peed at 1,000 rpm in 4 th /5 th /6 th	17.45/23.74/31.24
TEERING	
eering	Power-assisted (hydraulic)
urning circle diameter at kerb / wall (m)	11.1 / 11.6
umber of steering turns lock-to-lock	3.3
XLES	
ont axle type	Pseudo Mac Pherson with wishbone arm
ear axle type	H-type torsion beam with programmed deflection coil spring suspension
/HEELS AND TYRES	r regpe torsion beam with programmed denection coil spring suspension
	151
tandard wheel rims	15" 185 / 65R15
ront-rear standard tyres	כואכס/כאו
BRAKING	
rake circuit type	Diagonal
BS (Anti-lock Braking System)	Yes
BD (Electronic Brake-force Distribution)	Yes
BA (Emergency Brake Assist)	Yes
ront: Discs diameter (inches)	11"
ear: drum (D)/diameter (inches)	9"
ERFORMANCE	
erodynamics Cda	0.965
op speed (km/h)	157
- 100 km/h	14.7
00m from standing start	19.5
000m from standing start	36.4
UEL CONSUMPTION AND EMISSIONS*	
Ω^2	189
rban cycle (L/100km)	10.1
xtra-urban cycle (L/100km)	6.7
ombined cycle (L/100km)	8
APACITY	
uel tank (L)	50
VEIGHT (KG)	20
	1170
erb weight (no options), without driver	1,138
erb weight on front / rear	689 / 449
ayload	750
ax. gross vehicle weight (MGVW)	1,908
lax. braked trailer weight / unbraked trailer weight	1,200 / 605
ross train weight (GTW)	3,108

Dimensions









LUGGAGE COMPARTMENT CAPACITY (dm³)

2-seat layout	3300
1-seat layout (with Easy Seat removed)	3900

DIM	ENSIONED DRAWING (mm)	
A	Wheelbase	2810
В	Overall length	4363
C	Front overhang	822
D	Rear overhang	731
E	Front track	1490
F	Rear track	1478
G	Unladen / laden ground clearance	186/151
Н	Unladen height without/with roof bars	1809/1847
H1	Sill height (unladen)	565
H2	Rear opening height	1100
L	Overall width with rearview mirrors	2004
L1	Interior width between wheel arches (with/without panels)	1130/1170
L2	Maximum loading width (without panels)	1372/1413

DIMENSIONED DRAWING (mm)

1	Maximum loading height	1,271
11	Lower boot entrance width (at sill level)	1,189
12	Rear opening width (1 m from the floor)	1,082
	Opening width at sliding side door level	703
	Opening height at sliding side door level	1,046
1	Maximum loading length on floor with tubes/partition	1,856 / 1,901
2	Maximum loading length on floor with Easy Seat removed	3,110

WEIGHT (kg)

oad	750

Equipment & options

PROTECTION PARTITIONS Protection bars behind the driver Protein partition associated with removable passenger seat Protein partition associated with removable passenger seat Pull partition with window		Dokker Van
Black ident from with inside manual adjustment . Black ident from whithing door mirrors	EXTEDIOD DESIGN	
Black electric demostrag door mimors Dody colour but reports Dody colour but reports and such colour reports and such reports Dody colour but reports and such reports Dody colour but reports and such reports and such reports Dody c		•
Body colour electric demisting door mirrors Body colour putpres Black Inorgutinal roof bars Firsteel wheek with hubcaps Firsteel wheek with hubcaps Black Inorgutinal roof bars Bit Steel wheek with hubcaps Black Inorgutinal Roof Bars Firsteel wheek with hubcaps Black Inorgutinal Roof Bars Broot Broot Broot Bars Broot Broot Broot Bars Broot Broot Broot Bars Broot Br		
Body sclow bumpers		п
Black Inority uthan In roll parts 15° Isde ly wheel firms 15° Isde ly wheel fi		п
15' stell wheels with hubcaps 15' alloy wheel firms 15' alloy whee		п
Signature Sign		•
Bill Deytime Running Lights		п
Fig samps Metallic paint PROTECTION PARTITIONS Protection bars behind the driver Ell partition with window DANIE LOADING Thermoformed rubber loading space floor mat Ell partition with window Ell self-inding and the driver behavior of the driver be loading space floor mat Ell self-inding and the loading area Ell self-inding and the floor in the loading area Ell self-inding area on the self-inding area Ell self-inding area on t		•
Metallic paint		п
Protection bars behind the driver Prototing wire-mesh partition associated with removable passenger seat Full partition with window LOADING Thermofemed rubber loading space floor mat. Side trim in rear and on wheel arches Bashing rings on the floor in the loading area Two additional stowing rings on each side of the cargo area Rear wooden flooring with interior side trim Equipped for roof rack Equipped for roof rack Equipped for roof rack Equipped for roof rack Equipped for roof bars Equipped for roof seases Equipped for roof seases Equipped for roof pass Equipped for roof seases Equipped fo	Metallic paint	п
Protection bars behind the driver Prototing wire-mesh partition associated with removable passenger seat Full partition with window LOADING Thermofemed rubber loading space floor mat. Side trim in rear and on wheel arches Bashing rings on the floor in the loading area Two additional stowing rings on each side of the cargo area Rear wooden flooring with interior side trim Equipped for roof rack Equipped for roof rack Equipped for roof rack Equipped for roof rack Equipped for roof bars Equipped for roof seases Equipped for roof seases Equipped for roof pass Equipped for roof seases Equipped fo	PROTECTION PARTITIONS	
Full partition with window LOADING Thermoformed rubber loading space floor mat \$\frac{\text{side trim in rear and on wheel arches}}{\text{side trim in rear and on wheel arches}} \text{\$\text{side trim in rear and on wheel arches}} \$\te	Protection bars behind the driver	•
LOADING Thermaformed rubber loading space floor mat Thermaformed rubber loading space floor mat I Side trim in rear and on wheel arches I side trim in rear and on wheel arches and a side of the cargo area and on a side of trim in rear and on a side of the cargo area and on a side of trim in rear and on a side of trim	Pivoting wire-mesh partition associated with removable passenger seat	п
Thermoformed rubber loading space floor mat It is labiling ring on wheel arches It is a bailing rings on the floor in the loading area It was additional stowing rings on each side of the cargo area It was additional stowing rings on each side of the cargo area It is a bailing rings on the floor in the loading area It was additional stowing rings on each side of the cargo area It is a bailing rings on the floor in the loading area It was additional stowing rings on each side of the cargo area It is a bailing rings on the floor in the loading area It was a bailing rings on the floor in the loading area It was a bailing rings on the floor in the loading area It was a bailing rings on the floor in the loading area It was a bailing rings on the floor in the loading area It was a bailing rings on the floor in the loading area It was a bailing rings on the floor in the loading area It was a bailing rings on the floor in the loading area It was a bailing rings on the floor in the loading area It was a bailing rings on the floor in the loading area It was a bailing rings on the floor in the loading area It was a bailing rings on the floor in the loading area It was a bailing rings on the floor in the loading area It was a bailing rings on the floor in the loading area It was a bailing rings on the floor in the loading area It was a bailing rings on the floor in the loading area It was a bailing rings on the floor in the loading rings are when a bailing rings are was a bailing r	Full partition with window	п
Side trim in rear and on wheel arches	LOADING	
8 lashing rings on the floor in the loading area Two additional stowing rings on each side of the cargo area ##################################	Thermoformed rubber loading space floor mat	п
Two additional stowing rings on each side of the cargo area Rear wooden flooring with interior side trim Equipped for roof rack Equipped for roof bars ACTIVE AND PASSIVE SAFETY ALS: + emergency brake assist Electronic Stability Program (ESP) Tyre Pressure Monitoring System 1. System	Side trim in rear and on wheel arches	п
Rear wooden flooring with interior side trim Equipped for roof rack Equipped for roof bars ACTIVE AND PASSIVE SAFETY ABS + emergency brake assist Electronic Stability Program (ESP) Tyre Pressure Monitoring System Front Seats Side alert Front seats side airbags Front seats side our semple	8 lashing rings on the floor in the loading area	•
Equipped for roof rack Equipped for roof bars ACTIVE AND PASSIVE SAFETY ABS + emergency brake assist Electronic Stability Program (ESP) Tyre Pressure Monitoring System 1. System 1. Sys	Two additional stowing rings on each side of the cargo area	п
Equipped for roof bars ACTIVE AND PASSIVE SAFETY ABS + emergency brake assist Electronic Stability Program (ESP) . Tyre Pressure Monitoring System . Tyre Pressure Monitoring	Rear wooden flooring with interior side trim	п
ACTIVE AND PASSIVE SAFETY ABS + emergency brake assist • Electronic Stability Program (ESP) Tyre Pressure Monitoring System • Visual over-speed alert Driver & passenger airbags Front seats side airbags Height-adjustable front seat belts 15" emergency spare wheel DOORS AND WINDOWS Right-side sliding door Right-side sliding door Right-side sliding door with opening window 2 sliding side doors with opening windows Unglazed asymmetrical rear doors DRIVING AND CONTROL INSTRUMENTS Power-assisted steering On-board computer (partial and overall distance recorder, distance travelled, fuel consumed, average fuel consumption, remaining fuel range, average speed, servicing frequency) Adaptation kit for conversions: adaptation connection, wiring for adaptation and fast idle speed ### Cruise control with speed limiter ####################################		•
ABS + emergency brake assist Electronic Stability Program (ESP)	Equipped for roof bars	•
ABS + emergency brake assist Electronic Stability Program (ESP)	ACTIVE AND PASSIVE SAFETY	
Electronic Stability Program (ESP) Tyre Pressure Monitoring System . Tyre Pressure Monitoring System . Driver & passenger airbags Front seats side siding seats		•
First seats side airbags Front seats side airbags Height-adjustable front seat belts 15" emergency spare wheel DOORS AND WINDOWS Right-side sliding door Right-side sliding door with opening window 2 sliding side doors with opening window 2 sliding side doors with opening windows Unglazed asymmetrical rear doors DRIVING AND CONTROL INSTRUMENTS Power-assisted steering On-board computer (partial and overall distance recorder, distance travelled, fuel consumed, average fuel consumption, remaining fuel range, average speed, servicing frequency) Cruise control with speed limiter □ □ □ □ □ □ □ □ □ □ □ □ □	Electronic Stability Program (ESP)	•
Driver & passenger airbags Front seats side airbags Height-adjustable front seat belts 15" emergency spare wheel DOORS AND WINDOWS Right-side sliding door Right-side sliding door with opening window 2 sliding side doors with opening windows 2 sliding side doors with opening windows Unglazed asymmetrical rear doors DRIVING AND CONTROL INSTRUMENTS Power-assisted steering On-board computer (partial and overall distance recorder, distance travelled, fuel consumed, average fuel consumption, remaining fuel range, average speed, servicing frequency) Adaptation kit for conversions: adaptation connection, wiring for adaptation and fast idle speed Cruise control with speed limiter # Cruise control with speed limiter	Tyre Pressure Monitoring System	•
Front seats side airbags # Height-adjustable front seat belts • 15" emergency spare wheel sliding door with opening window • 15" emergency spare wheel sliding door with opening window • 15" emergency spare wheel sliding door with opening window • 15" emergency spare wheel sliding door with opening window • 15" emergency spare wheel sliding door with opening window • 15" emergency spare wheel sliding door with opening window • 15" emergency spare wheel sliding door with opening window • 15" emergency spare wheel sliding door with opening window • 15" emergency spare wheel sliding door with opening window • 15" emergency spare wheel sliding door with opening window • 15" emergency spare wheel sliding door with opening window • 15" emergency spare wheel sliding door with opening window • 15" emergency spare wheel sliding door with opening window • 15" emergency spare wheel sliding door with opening window • 15" emergency spare wheel sliding door with opening window • 15" emergency spare wheel sliding door with opening window • 15" emergency spare wheel sliding door with opening window • 15" emergency spare wheel sliding door with opening window • 15" emergency spare wheel sliding door with opening window spare wheel sliding door wheel sliding door with opening window spare wheel sli	Visual over-speed alert	•
Height-adjustable front seat belts 15" emergency spare wheel DOORS AND WINDOWS Right-side sliding door Right-side sliding door with opening window 2 sliding slide doors with opening windows Unglazed asymmetrical rear doors DRIVING AND CONTROL INSTRUMENTS Power-assisted steering On-board computer (partial and overall distance recorder, distance travelled, fuel consumed, average fuel consumption, remaining fuel range, average speed, servicing frequency) Adaptation kit for conversions: adaptation connection, wiring for adaptation and fast idle speed Cruise control with speed limiter • • • • • • • • • • • • • • • • • • •	Driver & passenger airbags	•
DOORS AND WINDOWS Right-side sliding door	Front seats side airbags	п
DOORS AND WINDOWS Right-side sliding door Right-side sliding door with opening window 2 sliding side doors with opening windows Unglazed asymmetrical rear doors DRIVING AND CONTROL INSTRUMENTS Power-assisted steering On-board computer (partial and overall distance recorder, distance travelled, fuel consumed, average fuel consumption, remaining fuel range, average speed, servicing frequency) Adaptation kit for conversions: adaptation connection, wiring for adaptation and fast idle speed Cruise control with speed limiter •	Height-adjustable front seat belts	•
Right-side sliding door with opening window	15" emergency spare wheel	•
Right-side sliding door with opening window	DOORS AND WINDOWS	
Right-side sliding door with opening window 2 sliding side doors with opening windows Unglazed asymmetrical rear doors • DRIVING AND CONTROL INSTRUMENTS Power-assisted steering • On-board computer (partial and overall distance recorder, distance travelled, fuel consumed, average fuel consumption, remaining fuel range, average speed, servicing frequency) Adaptation kit for conversions: adaptation connection, wiring for adaptation and fast idle speed Cruise control with speed limiter		•
2 sliding side doors with opening windows Unglazed asymmetrical rear doors DRIVING AND CONTROL INSTRUMENTS Power-assisted steering On-board computer (partial and overall distance recorder, distance travelled, fuel consumed, average fuel consumption, remaining fuel range, average speed, servicing frequency) Adaptation kit for conversions: adaptation connection, wiring for adaptation and fast idle speed Cruise control with speed limiter # # # # # # # # # # # # # # # # # # #		Д
DRIVING AND CONTROL INSTRUMENTS Power-assisted steering On-board computer (partial and overall distance recorder, distance travelled, fuel consumed, average fuel consumption, remaining fuel range, average speed, servicing frequency) Adaptation kit for conversions: adaptation connection, wiring for adaptation and fast idle speed Cruise control with speed limiter DRIVING AND CONTROL INSTRUMENTS • • • • • • • • • • • • •	2 sliding side doors with opening windows	п
Power-assisted steering On-board computer (partial and overall distance recorder, distance travelled, fuel consumed, average fuel consumption, remaining fuel range, average speed, servicing frequency) Adaptation kit for conversions: adaptation connection, wiring for adaptation and fast idle speed Cruise control with speed limiter • Cruise control with speed limiter	Unglazed asymmetrical rear doors	•
Power-assisted steering On-board computer (partial and overall distance recorder, distance travelled, fuel consumed, average fuel consumption, remaining fuel range, average speed, servicing frequency) Adaptation kit for conversions: adaptation connection, wiring for adaptation and fast idle speed Cruise control with speed limiter • Cruise control with speed limiter	DRIVING AND CONTROL INSTRUMENTS	
average speed, servicing frequency) Adaptation kit for conversions: adaptation connection, wiring for adaptation and fast idle speed Cruise control with speed limiter #	Power-assisted steering	•
Adaptation kit for conversions: adaptation connection, wiring for adaptation and fast idle speed Cruise control with speed limiter #	On-board computer (partial and overall distance recorder, distance travelled, fuel consumed, average fuel consumption, remaining fuel range, average speed, servicing frequency)	•
Cruise control with speed limiter		п
	Rear parking sensors	

	Dokker Van
COMFORT	
Manual key	•
Two-button remote central-locking key	п
Manual front windows	•
Electric front windows	п
Moveable ashtray/cigarette lighter	п
Height-adjustable steering wheel and driver seat	п
Armrest for driver	п
Manual air-conditioning	•
STORAGE AREAS	
A4 storage space at top of dashboard	•
Storage compartments in front doors	•
Open storage space above the glovebox	•
Cup holder on front centre console	•
Closed storage space at bottom of dashboard on driver's side	•
Closed glovebox	•
COMMUNICATION	
1 DIN radio tuner, USB, AUX and audio streaming via Bluetooth®	•
2 DIN radio tuner, USB, AUX, audio streaming via Bluetooth® and CD-MP3	п
MEDIA NAV 2.0 navigation system, 7" touch screen, radio tuner, USB, AUX and audio/photo streaming via Bluetooth®	п
•: standard. ¤ : optional : not available.	

Packs

	Dokker Van	
Look Pack 1: Body colour bumpers, body colour electric door mirrors, electric windows, fog lamps and remote control door lock	¤	
Look Pack 2: Body colour bumpers, body colour electric door mirrors, electric windows, fog lamps, remote control door lock and rear parking sensors	п	
Glazed dual opening rear doors, rear wiper, rear glass demister and manual dimming day/night interior rear view mirror	¤	
Glazed right sliding door, glazed dual opening rear doors, rear wiper, rear glass demister and manual dimming day/night interior rear view mirror	п	
Glazed left & right sliding doors, glazed dual opening rear doors, rear wiper, rear glass demister, electric windows, remote control door lock, manual dimming day/night interior rear view mirror and electric door mirrors	п	
Glazed left & right sliding doors, glazed dual opening rear doors, rear wiper, rear glass demister, electric windows, remote control door lock, manual dimming day/night interior rear view mirror, electric door mirrors and rear parking sensors	п	
Electric door mirrors, electric windows and remote control door lock	¤	
Electric door mirrors, electric windows, remote control door lock and rear parking sensors	п	

^{•:} standard. ¤ : optional. - : not available.

Renault DOKKER Van

Business driven



Extend the Renault Dokker experience at **www.renault-me.com**Join us on **f v P o** /RenaultME



Every precaution has been taken to ensure that this publication is accurate and up to date on the date it is printed. This document has been created on the basis of pilot lots and prototypes. In line with its policy of continuous product improvement, Renault reserves the right to modify the specifications, vehicles and accessories described and shown at any time. Such modifications shall be communicated to Renault dealers as quickly as possible. According to the country of sale, certain versions may differ and certain equipment may be unavailable (as standard, on option or as an accessory). Please contact your nearest dealer for the latest information. For printing reasons, the colours that appear in this document may differ slightly from the actual paint and upholstery colours. All rights reserved. The reproduction in any format and by any means of all or part of this publication, without prior written authorisation from Renault, is prohibited.

Renault recommande

Prodigious Crédits photo: A. Bernier, E. Matheron-Belay, Y. Brossard – Printed in EC – April 2018.

Renault s.a.s. French Simplified Joint Stock Company with capital of €533,941,113.00 / 13-15, quai Le Gallo – 92100 Boulogne-Billancourt Cedex – Nanterre Trade & Companies Registry of Nanterre under number B 780 129 987 / Tel.: 0810405060.